

PRODUCT CATALOGUE

MECHANICAL – ELECTRICAL COMPONENTS SUPPLIER




KAHURIPAN
PT. ANEKA REKAYASA KAHURIPAN

Jl. BSD Boulevard Utara, Terravia Adora E8/11
BSD City, Banten 15336
Email: ptanekarekayasa@gmail.com

Sumitomo

Drive Technologies

Paramax 9000 Drive



Hansen P4



SEISA



Cyclo BBB4



BBB-H




Cyclo HBB



Cyclodrive 6000



Hyponic



Prest Neo



IEC Electromotor



Inverter [Variable Speed]



Helical Shaft Mount



Carbon Steel Bars

- Besi As (Round Bars) Eq St.41
- Besi As (Round Bars) Eq St.60, St.70, St.90
- As Besi Segi Empat (Square Bars / Vierkan)
- As Besi Segi Enam (Hexagonal Bars)
- Silver Steel-Hollow Bars-Tool Steel
- Strep Besi (Flat Bars)
- Band Eyzer (Strapping band Plates)

Carbon Steel Pipes

- Pipa Baja Hitam (Black Steel Pipes)
- Pipa Air / Galvanis (Galvanized Pipes)
- Pipa Seamless (Seamless Pipes) ASTM A 53 / A 106 / API 5 L
- Pipa Pancang (ERW Pipes) ASTM A 252
- Pipa Konstruksi STK-400
- Pipa Perabot (Stalbuist Pipes)
- Pipa Kotak (Rectangular & Square Pipes)

Carbon Steel Plates

- Plat Besi Hitam (Hot Rolled Coil/Sheet) JIS SPHC/JIS SS400/ASTM A36
- Plat Kapal (Ship Building Plate BKI)
- Plat Besi Putih (Cold Rolled Coil/Sheet) JIS SPCC
- Plat Bordes (Checkered Plate)
- Plat Lubang (Perforated Plate)
- Plat Tahan Gesek (Wear-Resistance Plate)
- Plat Galvanil (Galvaneal)
- Plat Galvanis (Galvanized)
- Expanded Metal

Carbon Steel Profiles

- Siku Besi (Angle Bars)
- Kanal UNP (U-Channel)
- Kanal CNP (Lip-Channel)
- H-Beam I-Beam WF-Beam

Stainless Steel Plates

- Sheets & Coils Grade 304 / 304L, 316 / 316L, 430, 201, 310S, 253MA
- Surface Finished No. 1, 2B, BA, No.4, HL, Mirror
- Duplex Stainless Steel LDX 2101
- Checkerd Plates
- Perforated Plates etc

Stainless Steel BW Fittings

- Welded & Seamless Fittings ASTM A403 WP 304 / 304L, 316 / 316L

**Pilot devices****Safety products****Circuit breakers****Limit switches****Softstarters****Contactors****Surge Protective
Devices****Electronic relays
and controls**

PANEL MAKER

Switchgear Panel
**Motor Control
Panel**
Building Solutions
Power Supplies





PEMANTAU BAHAYA



SENSOR KESELARASAN



SENSOR SUHU BEARING



SWITCH KECEPATAN



SENSOR INDUKTIF



JUNCTION BOXES



SENSOR GETARAN



SWITCH PENGAMAN



INDIKATOR LEVEL



ALARM & LAYAR





Tire Coupling



Chain Coupling



Pulley



FCL coupling



CHAIN Coupling



JFL Coupling



IEC ELECTROMOTOR



**KS SE3-SEK / SEL SERIES**

Back Pull-Out End Suction Solid
Handling Centrifugal Pump
Max. Capacity : 400 m³/hr
Max. Head : 100 m

**KS SE3-SES SERIES**

Back Pull-Out Self-Priming Solid
Handling Centrifugal Pump
Max. Capacity : 400 m³/hr
Max. Head : 100 m

**KS SR SERIES**

Back Pull-Out End Suction
General Application Centrifugal
Pump
Max. Capacity : 650 m³/hr
Max. Head : 150 m

**KS SG2 SERIES**

Back Pull-Out End Suction
Chemical Process Pump
Max. Capacity : 650 m³/hr
Max. Head : 150 m

**KS-MF SERIES**

Back Pull-Out End Suction Mixed
Flow Centrifugal Pump
Max. Capacity : 1500 m³/hr
Max. Head : 33 m

**OSP OIL SKIMMER PUMP**

Max. Capacity : 5.5 m³/hr
Max. Head : 12.2 m

**KS TO SERIES**

Back Pull-Out End Suction
Thermal Oil Centrifugal Pump
Max. Capacity : 500 m³/hr
Max. Head : 100 m

**KDP DOSING PUMP**

Max. Capacity : 30 l/hr (Simplex)
60 l/hr (Duplex)
120 l/hr (Duplex)
Max. Head : 35kg/cm²
Max. Pressure : 35kg/cm²

**VSP VERTICAL SUMP PUMP**

Max. Capacity : 180 m³/hr
Max. Head : 42 m

**DP4 DIAPHRAGM PUMP**

Max. Capacity : 6,000 gal/hr
Max. Head : 20 ft

**KEWCRACKER KCM**

Type : Vertical Feed &
Discharge Nut Cracker
Capacity : KCM 4T, 6T, & 8T



**FLOWSERVE DURCO MARK 3
ANSI PUMP**

Application : For use in chemicals, refinery & industrial process industries

- Heavy Duty Process Pump
- Max. Flowrate : 2270 m³/hr



**FLOWSERVE DURCO MARK 3
ISO MAG PUMP**

Application : For use in all industries to handle acids , alkaline , flammable , toxic and expensive liquids

- Sealless & Magnetic Drive Pump
- Max. Flowrate : 650 m³/hr
- Max. Head : 150 m
- Max. Temperatures : 300°C



LPHX

APPLICATION: LIQUID RING VACUUM PUMP
Max. Capacity : 700 m³/hr
Max. Operating Pressure : 1013 mbar



LPHA / LPHC

APPLICATION: LIQUID RING VACUUM PUMP
Max. Capacity : 700 m³/hr
Max. Operating Pressure : 1013 mbar



HECA

APPLICATION: BOILER FEEDWATER PUMP
Max. Capacity : 145 m³/hr
Max. Head : 390 m



CEHA

APPLICATION: OIL TRANSFER PUMP
Max. Capacity : 35 m³/hr
Max. Head : 354 m



MSL/MSB/MSM

Axial / Radial Horizontal Right
APPLICATION:
BOILER FEEDWATER PUMP
Max. Capacity : 450 m³/hr
Max. Head : 630 m



ZLND

APPLICATION:
VOLUTE CASING PUMP
Max. Capacity : 1800 m³/hr
Max. Head : 140 m




ULNC

APPLICATION:
VACUUM DEARATOR PUMP
Max. Capacity : 300 m³/hr
Max. Head : 95 m



Transmax products





Conveyor Chain Sprocket



Flexible Couplings



Spur gears



Roda Lori



Digester's Long-short Arm



Sprocket Sequence

